

TABLE 4: L3 IMA ERRORS LIST-VERSION 5 (HPL)

Error Code	Error Message
"LSRDATED 900	DATED required when ACT is N, V or Z"
"LSRDATED 900	DATED required when ACT is N, W or V"
"LSRDATED 900	DATED required when ACT is N, W, V or Z"
"LSRDATED 900	DATED required when ACT is N, W, V or Z"
"LSRDATED 900	DATED required when ACT is V or Z"
"LSRDATED 900	DATED required when ACT is V"
"LSRDATED 900	DATED required when ACT is W or V"
"LSRDATED 900	DATED required when ACT is W, V or Z"
"LSRDATED 900	DATED required when AGAUTH is Y"
"LSRDDD 001	DDD required"
"LSRDDD 002	DDD invalid format"
"LSRDDD 002	DDD invalid format"
"LSRDDD 003	DDD cannot be earlier than current date"
"LSRDDD 003	DDD cannot be later than one year from current date"
"LSRDDD 003	DDD must be at least 5 business days out from the current date"
"LSRDDDO 002	DDDO invalid format"
"LSRDDDO 002	DDDO invalid format"
"LSRDDDO 003	DDDO cannot be further than 30 days out"
"LSRDDDO 900	DDDO cannot equal the DDD"
"LSRDFDT 001	DFDT required when CHC is Y and ACT is <CTX->ACT>"
"LSRDFDT 001	DFDT required when CHC is Y and ACT is <CTX->ACT>"
"LSRDFDT 001	DFDT required when CHC is Y and ACT is <CTX->ACT>"
"LSRDFDT 001	DFDT required when CHC is Y and ACT is <CTX->ACT>"
"LSRDFDT 001	DFDT required"
"LSRDFDT 001	DFDT required"
"LSRDFDT 002	DFDT invalid format"
"LSRDRC 900	DRC or FAXNO required when RTR is D"
"LSRDRC 900	DRC prohibited when DSGCON is not populated"
"LSRDRC 900	DRC prohibited when DSGCON is not populated"
"LSRDRC 900	DRC prohibited when FAXNO is populated"
"LSRDSGCON 003	DSGCON: Invalid characters entered: Valid are [letters, numbers, comma, hyphen, space, period]"
"LSRDSGCON 900	DSGCON required when RTR is D"
"LSRDSGCONEM900	DSGCONEMAIL can only be populated when DSGCON is populated"
"LSRDSGCONFA900	FAXNO prohibited when DRC is populated"
"LSRDSGCONFA900	FAXNO prohibited when DSGCON is not

TABLE 4-90 IMA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
	populated"
"LSRDSGCONFA900	FAXNO required when RTR is D and DRC is not populated"
"LSRDSGCONFL900	DSGCONFLOOR can only be populated when DSGCON is populated"
"LSRDSGCONRO900	DSGCONROOMMAILSTOP can only be populated when DSGCON is populated"
"LSRDSGCONTE002	DSGCONTELNO invalid format"
"LSRDSGFAXNO900	DSGFAXNO prohibited when DSGCON is not populated"
"LSRDSGTELNO900	DSGTELNO is required when RTR is D and ACT is one of "<ACTSTR>"
"LSRDSPTCH 001	DSPTCH must equal Y or N when ACT is <CTX->ACT>"
"LSRDSPTCH 001	DSPTCH must equal Y or N when ACT is <CTX->ACT>"
"LSRDSPTCH 003	DSPTCH must be Y or N"
"LSRDTSENT 001	D/TSENT required"
"LSRDTSENT 002	D/TSENT invalid format"
"LSRDTSENT 002	D/TSENT invalid format"
"LSRDTSENT 002	D/TSENT invalid format"
"LSREXP 003	EXP must be Y or N"
"LSREXP 900	EXP prohibited for LNP requests"
"LSREXP 900	EXP prohibited when ACT is D or W"
"LSREXP 900	EXP prohibited when ACT is D"
"LSREXP 900	EXP prohibited when ACT is W"
"LSRHA 900	HA must be N when ACT is N or T"
"LSRHA 900	HA must be N when ACT is N or T"
"LSRHA 900	HA must be N when ACT is N or T"
"LSRHA 900	HA must be N, C or D when ACT is C"
"LSRHA 900	HA must be N, C or D when ACT is C"
"LSRHA 900	HA must be N, C or D when ACT is C"
"LSRHA 900	HA must be V, N, C or D when ACT is V or Z"
"LSRHA 900	HA must be V, N, C or D when ACT is V or Z"
"LSRHA 900	HA must be V, N, C or D when ACT is V or Z"
"LSRHA 900	HA must be V, N, C or D"
"LSRHA 900	HA required when Add/Deleting hunting"
"LSRHA 900	HA required when Add/Deleting hunting"
"LSRHID 900	HID must be an alpha when HNTYP is 5"
"LSRHID 900	HID must be numeric when HNTYP is 4"
"LSRHID 900	HID required when HA is C, D or V"
"LSRHNTYP 003	HNTYP must be 4 or 5"
"LSRHNTYP 003	HNTYP must be numeric"
"LSRHNTYP 900	HNTYP required when HA is populated"
"LSRHNTYP 900	HNTYP required when HA is populated"
"LSRHNTYP 900	HNTYP required when HA is populated"
"LSRHNTYP 900	HNTYP required when HA is populated"
"LSRHNUM 003	HNUM must be numeric"
"LSRHNUM 003	HNUM must start at 001"

TABLE 4-9.0 DMA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"LSRHNUM 003	HNUM not in sequence"
"LSRHNUM 900	HNUM required when HA is populated"
"LSRHTSEQ 003	HTSEQ too long (143 max in EASTERN)"
"LSRHTSEQ 003	HTSEQ too long (300 max in WESTERN)"
"LSRHTSEQ 003	HTSEQ too long (512 max in CENTRAL)"
"LSRHTSEQ 900	HTSEQ required when ACT is N, V, Z, C or T and HA is N, D or V"
"LSRIMPCON 003	IMPCON: Invalid characters entered: Valid are [letters, numbers, period, space, apostrophe, hyphen]"
"LSRIMPCON 900	IMPCON required when ACT is C"
"LSRIMPCON 900	IMPCON required when ACT is D, V, Z or C"
"LSRIMPCON 900	IMPCON required when ACT is N, C or M"
"LSRIMPCON 900	IMPCON required when ACT is N, V, C, T or M"
"LSRIMPCON 900	IMPCON required when ACT is N, V, C, T or M"
"LSRIMPCON 900	IMPCON required when ACT is N, V, C, T or Z"
"LSRIMPCON 900	IMPCON required when ACT is N, V, Z or C"
"LSRIMPCON 900	IMPCON required when ACT is V or Z"
"LSRIMPCON 900	IMPCON required when ACT is V"
"LSRIMPCON 900	IMPCON required when ACT is W, V, Z, C or T"
"LSRIMPCONPA900	IMPCONPAGER / IMPCONTELNO required (not both) when IMPCON is populated"
"LSRIMPCONPA900	IMPCONPAGER and IMPCONTELNO not allowed"
"LSRIMPCONPA900	IMPCONPAGER not allowed when ACT is D, V, Z or C for INP"
"LSRIMPCONPA900	IMPCONPAGER not allowed when ACT is V or Z for LNP"
"LSRIMPCONTE002	IMPCONTELNO invalid format"
"LSRIMPCONTE900	IMPCONTELNO required when IMPCON is populated and ACT is D, V, Z or C for INP"
"LSRIMPCONTE900	IMPCONTELNO required when IMPCON is populated and ACT is V or Z for LNP"
"LSRINIT 001	INIT required"
"LSRINITTELNO01	INITTELNO required"
"LSRINITTELNO02	INITTELNO invalid format"
"LSRLOCNUM 003	LOCNUM must be 1 for ACT of N, V, Z, or C"
"LSRLOCNUM 003	LOCNUM must be 2 for ACT of T"
"LSRLOCNUM 003	LOCNUM must be 2 for ACT of V or C"
"LSRLOCQTY 001	LOCQTY required when ACT is <CTX->ACT>"
"LSRLOCQTY 001	LOCQTY required when ACT is <CTX->ACT>"
"LSRLOCQTY 001	LOCQTY required when ACT is T"

TABLE 4-9.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	Error Message
"LSRLOCQTY 001	LOCQTY required"
"LSRLOCQTY 001	LOCQTY required"
"LSRLOCQTY 001	LOCQTY required"
"LSRLOCQTY 003	LOCQTY must be 1"
"LSRLOCQTY 003	LOCQTY must be 2"
"LSRLOCQTY 003	LOCQTY must be 4 when ACT is T"
"LSRLSO 001	LSO required when ACT is N, W, V, Z, C, or T"
"LSRLSO 001	LSO required when ACT is W, V or C"
"LSRLSO 001	LSO required when APTCON is not populated and LNA is N"
"LSRLSO 001	LSO required when APTCON is not populated and LNA is N"
"LSRLSO 001	LSO required"
"LSRLSRID 001	LSRID required"
"LSRLSRID 900	LSRID required when PON not populated"
"LSRLSRQIDQTY003	LSRQIDQTY must be 1 or more"
"LSRLST 900	LST required when ACT is N, V or C"
"LSRLST 900	LST required when ACT is V or C"
"LSRNAN 002	NAN invalid format"
"LSRNAN 003	NAN only allowed when ACT is V or Z"
"LSRNAN 003	NAN only allowed when ACT is V"
"LSRNC 900	NC must be 4 characters"
"LSRNC 900	NC required when ACT is C"
"LSRNC 900	NC required when ACT is N or T"
"LSRNC 900	NC required when ACT is N or Z"
"LSRNC 900	NC required when ACT is N, V or Z"
"LSRNC 900	NC required when ACT is N, V, C or T"
"LSRNC 900	NC required when ACT is N, V, C or T"
"LSRNC 900	NC required when ACT is N, V, C, T or M"
"LSRNC 900	NC required when ACT is N, V, C, T or M"
"LSRNC 900	NC required when ACT is N, V, Z or C"
"LSRNC 900	NC required when ACT is V or Z"
"LSRNC 900	NC required when ACT is V"
"LSRNC 900	NC required when ACT is W, V, Z, C or T"
"LSRNCI 900	NCI must be at least 5 characters"
"LSRNCI 900	NCI must be at least 5 characters"
"LSRNCI 900	NCI required when ACT is C"
"LSRNCI 900	NCI required when ACT is N or T"
"LSRNCI 900	NCI required when ACT is N or Z"
"LSRNCI 900	NCI required when ACT is N, C or M"
"LSRNCI 900	NCI required when ACT is N, V or Z"
"LSRNCI 900	NCI required when ACT is N, V, C or T"
"LSRNCI 900	NCI required when ACT is N, V, C, T or M"
"LSRNCI 900	NCI required when ACT is N, V, C, T or M"
"LSRNCI 900	NCI required when ACT is N, V, Z or C"
"LSRNCI 900	NCI required when ACT is V or Z"

TABLE 4-1.2 DMA ERRORS LIST-VERSION 5 (DPL)

Error Code	Error Message
"LSRNCI 900	NCI required when ACT is V"
"LSRNCI 900	NCI required when ACT is W, V, Z, C or T"
"LSRNCI 900	NCI required when NC is populated"
"LSRNCM 900	NC required when ACT is N, C or M"
"LSRORD 003	Order Number must be 9 or 10 alphanumeric characters"
"LSRPENDINGO003	PENDINGORDER must be Y or N"
"LSRPG OF 002	PG OF required"
"LSRPG OF 003	PG OF must be numeric"
"LSRPON 001	PON required"
"LSRPON 900	Missing LSR ID or CCNA/PON"
"LSRPORTTYP 001	PORTTYP required"
"LSRPORTTYP 003	PORTTYP first character must be L and PORTTYP second character must be D"
"LSRPORTTYP 003	PORTTYP first character must be L and PORTTYP second character must be A"
"LSRPORTTYP 003	PORTTYP first character must be T and PORTTYP second character must be A"
"LSRPORTTYP 003	PORTTYP first character must be T and PORTTYP second character must be D"
"LSRREQTYP 001	REQTYP required"
"LSRREQTYP 003	REQTYP second character must be A or B"
"LSRREQTYP 003	REQTYP second character must be B"
"LSRRPON 900	RPON required for this product when ACT is N, V, Z, W, D or T"
"LSRRPON 900	RPON required when PG half of PG_OF is greater than 01"
"LSRRPON 900	RPON required when PG half of PG_OF is greater than 01"
"LSRRPON 900	The first LSR in the series would have a blank RPON."
"LSRRTR 001	RTR required"
"LSRRTR 003	RTR must be C or D"
"LSRRTR 003	RTR must be C"
"LSRRTR 003	RTR must be C, D or X"
"LSRRTR 900	RTR must be C when ACT is D"
"LSRSCA 003	SCA must be Y"
"LSRSCA 003	SCA must be Y"
"LSRSCA 900	SCA not allowed for Intra-Building Cable orders"
"LSRSCA 999	Error Fetching rows from NC table"
"LSRSECNCI 900	SEC NCI must be at least 5 characters"
"LSRSECNCI 900	SECNCI required when ACT is C"
"LSRSECNCI 900	SECNCI required when ACT is N or T"
"LSRSECNCI 900	SECNCI required when ACT is N, C or M"
"LSRSECNCI 900	SECNCI required when ACT is N, V, C or T"
"LSRSECNCI 900	SECNCI required when ACT is N, V, C or T"
"LSRSECNCI 900	SECNCI required when ACT is N, V, C, T

TABLE 4-10 JNA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"LSRSECNCI 900	or M"
"LSRSECNCI 900	SECNCI required when ACT is V or Z"
"LSRSUP 003	SECNCI required when ACT is V"
"LSRSUP 003	SUP must be 1, 2 or 3"
"LSRTEST 001	SUP must be populated and valid for supplemental requests"
"LSRTEST 003	TEST required"
"LSRTEST 003	TEST must be A or N when CHC is N or blank"
"LSRTEST 003	TEST must be A, B or N"
"LSRTEST 003	TEST must be A, I or N when CHC is N or blank"
"LSRTEST 003	TEST must be B or N when CHC is Y"
"LSRTEST 003	TEST must be B or N when CHC is Y"
"LSRTLTI 002	TLI invalid format"
"LSRTLTI 900	TLI required when ACT is N, V, Z, C or T and HNTYP is 4"
"LSRTOS 001	TOS required"
"LSRTOS 003	TOS does not match SCATEG on reserved TN"
"LSRTOS 003	TOS first char cannot be 2 for this product"
"LSRTOS 003	TOS first char cannot be 2 for this product"
"LSRTOS 003	TOS first char must be 1 or 2 when product is Qwest DSL"
"LSRTOS 003	TOS first char must be 1 or 3 when product is PRISDN"
"LSRTOS 003	TOS first char must be 1 or 3 when product is PRIVATE LINE"
"LSRTOS 003	TOS first char must be 1 or 3 when product is RESALE FRAME RELAY"
"LSRTOS 003	TOS first char must be 1 or 3"
"LSRTOS 003	TOS first char must be 1 or 3"
"LSRTOS 003	TOS first char must be 1 or 3"
"LSRTOS 003	TOS first char must be 1"
"LSRTOS 003	TOS first char must be 1"
"LSRTOS 003	TOS first char must be 1, 2 or 3 when product is LINE SPLITTING"
"LSRTOS 003	TOS first char must be 1, 2 or 3 when product is LOOP SPLITTING"
"LSRTOS 003	TOS first char must be 1, 2 or 3 when product is SHARED LOOP"
"LSRTOS 003	TOS first char must be 1, 2, 3"
"LSRTOS 003	TOS first char must be 1, 2, 3"
"LSRTOS 003	TOS first char must be 1, 2, 3, 4"
"LSRTOS 003	TOS first char must be 4"
"LSRTOS 003	TOS fourth char is not applicable"
"LSRTOS 003	TOS fourth char is not applicable"
"LSRTOS 003	TOS fourth char must be blank or F"
"LSRTOS 003	TOS fourth char must be blank or F"
"LSRTOS 003	TOS fourth char must be blank or F"

TABLE 4-40 DMA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"LSRTOS 003	TOS fourth char must be F"
"LSRTOS 003	TOS fourth char must be F"
"LSRTOS 003	TOS second and third chars not allowed"
"LSRTOS 003	TOS second and third chars not allowed"
"LSRTOS 003	TOS second and third chars not allowed"
"LSRTOS 003	TOS second and third chars not allowed"
"LSRTOS 003	TOS second char must be A or B"
"LSRTOS 003	TOS second char must be H"
"LSRTOS 003	TOS second char must be H"
"LSRTOS 003	TOS third and fourth chars not allowed"
"LSRTOS 003	TOS third and fourth chars not allowed"
"LSRTOS 003	TOS third and fourth chars not allowed"
"LSRTOS 001	TOS second char must be C or L"
"LSRTOS 003	TOS second char must be D"
"LSRTOS 003	TOS second char must be E"
"LSRTOS 003	TOS second char must be J"
"LSRTOS 003	TOS second char must be K"
"LSRTOS 003	TOS second char must be M"
"LSRTOS 003	TOS second char must be N"
"LSRTOS 003	TOS second char must be O"
"LSRTOS 003	TOS second char must be P"
"LSRTOS 003	TOS second char must be R"
"LSRTOS 003	TOS second char must be S"
"LSRTOS 003	TOS third char must be F"
"LSRTOS 003	TOS third char must be F"
"LSRTOS 003	TOS third char must be F"
"LSRTOS 003	TOS third char must be M or F"
"LSRTOS 003	TOS third char must be M or F"
"LSRTOS 003	TOS third char must be M or F"
"LSRTOS 003	TOS third char must be M or F"
"LSRTOS 003	TOS third char must be M"
"LSRTOS 003	TOS third char must be M"
"LSRTOS 003	TOS third char must be M, F, or G"
"LSRTOS 003	TOS third char must be M, F, or G"
"LSRTOS 003	TOS third char must be M, F or G"
"LSRTXACT 003	TXACT must be A"
"LSRTXNUM 001	TXNUM required"
"LSRTXTYP 003	TXTP must be S"
"LSRVER 900	VER not allowed when LSRID populated"
"LSRVER 900	VER required when SUP populated"
"LSRVTA 001	VTA required"
"LSRVTA 003	VTA is required when the USOC is <PRSD->FEATURE[J].FEATURE>"
"LSRVTA 003	VTA is required when the USOC is <USOC->USOC>"

TABLE 4: LST/IMA ERRORS LIST-VERSION 5 (DPL)		
Error Code		Error Message
"LST 999		<ERRORMESSAGE>"
"LSTAGAUTH 003		AGAUTH must be Y or N"
"LSTAGAUTH 003		Unable to process request, no Letter of Authorization."
"LSTAUTHNM 900		AUTHNM required when AGAUTH is Y"
"LSTCCNA 001		CCNA required"
"LSTD/TSENT 001		D/TSENT invalid format"
"LSTD/TSENT 001		D/TSENT invalid format"
"LSTD/TSENT 001		D/TSENT invalid format"
"LSTD/TSENT 001		D/TSENT required"
"LSTDATED 001		DATED required when AGAUTH is Y"
"LSTDATED 002		DATED invalid format"
"LSTDIRIDL 900		DIRIDL is required when TXACT is B"
"LSTFCC 900		FCC is required when TXACT is B"
"LSTListing 003		There were no matches found for the entered telephone number"
"LSTListing 003		There were no matches found for the entered telephone number"
"LSTListing 003		There were no matches found for the entered telephone number"
"LSTListing 003		There were no matches found for the entered telephone number"
"LSTListing 999		<ERRORMESSAGE>"
"LSTLTN 001		LTN required"
"LSTLTN 002		LTN invalid format"
"LSTLTN 003		No active listing record found."
"LSTNAMECONT900		NAMECONTROL is required when TXACT is B"
"LSTRECTYPE 900		RECTYPE is required when TXACT is B"
"LSTREF 900		REF is required when TXACT is B"
"LSTREGION 900		REGION is required when TXACT is B"
"LSTTXACT 003		TXACT must be A or B"
"LSTTXNUM 001		TXNUM required"
"LSTXTTYP 003		TXTYP must be T"
"LU 001		CCNA required"
"LU 001		CITY required"
"LU 001		NC required"
"LU 001		NCI required"
"LU 001		SECNCI required"
"LU 001		STATE required"
"LU 001		TOS required"
"LU 999		<CPSRSP->CPSERRORINFO.ERMESG>"
"LU 999		CPS Communication Error"
"LU 999		Fetch Contract Area failed (<ERRORMESSAGE>)"
"LU 999		Fetch Contract Area failed (<ERRORMESSAGE>)"
"LU 999		PSP not allowed to request LOOPUSOC"
"MP 999		<ERRORMESSAGE>"
"MP CABCONN 001		CABCONN cannot start with VCE"
"MP CABCONN 001		CABCONN required when SEARCHTYP is C"
"MP CABCONN 003		CABCONN must be in consistent format"

TABLE 4. EDI MA ERRORS LIST-VERSION 5 (BPL)

Error Code	Error Message
"MP CABCONN 003	CABCONNs must be in consistent format"
"MP CABCONNQ003	CABCONNQTY must be between 1 and 5 when SEARCHTYP is C"
"MP CCNA 001	CCNA required"
"MP D/TSENT 001	D/TSENT required"
"MP D/TSENT 002	D/TSENT invalid format"
"MP D/TSENT 002	D/TSENT invalid format"
"MP D/TSENT 002	D/TSENT invalid format"
"MP HICABCON001	HICABCONN cannot start with VCE"
"MP HICABCON001	HICABCONN required"
"MP HIPOTSSP001	HIPOTSSPLIT cannot start with VCE"
"MP HIPOTSSP001	HIPOTSSPLIT required when SEARCHTYP is S"
"MP LOCABCON001	LOCABCONN cannot start with VCE"
"MP LOCABCON001	LOCABCONN required"
"MP LOPOTSSP001	LOPOTSSPLIT cannot start with VCE"
"MP LOPOTSSP001	LOPOTSSPLIT required when SEARCHTYP is S"
"MP LSO 001	LSO required"
"MP POTSSPLI001	POTSSPLIT cannot start with VCE"
"MP POTSSPLI001	POTSSPLIT required when SEARCHTYP is p"
"MP POTSSPLI003	POTSSPLITLOC must be I or O"
"MP POTSSPLI003	POTSSPLITQTY must be between 1 and 5 when SEARCHTYP is P"
"MP POTSSPLI003	POTSSPLITTERS must be in consistent format"
"MP POTSSPLI003	POTSSPLITTERS must be in consistent format"
"MP SEARCHTY003	SEARCHTYP must be C or R when POTSSPLITLOC is I"
"MP SEARCHTY003	SEARCHTYP must be P or S when POTSSPLITLOC is O"
"MP SEARCHTY003	SEARCHTYP must be P, C, S, or R"
"MP TXACT 003	TXACT must be A"
"MP TXNUM 001	TXNUM required"
"MP TXTYP 003	TXTYP must be M"
"MSG<FIELDN>900	<FIELDNAME.NAME()>: Repeating section inconsistent count (<*(INT *)FIELDADDR>/<MAPLIST->COUNT>)"
"MSG<FIELDN>900	<FULLNAME>: Field passed as section"
"MSG<FIELDN>900	<FULLNAME>: Repeating section field before ctrl"
"MSG<FIELDN>900	<FULLNAME>: Repeating section overflow"
"MSG<FIELDN>900	<FULLNAME>: Repeating section overflow"
"MSG<FIELDN>900	<FULLNAME>: Repeating section unallocated"
"MSG<FIELDN>900	<FULLNAME>: Section passed as field"
"NC 999	<ERRORMESSAGE>"
"NC 999	Error Reading NC data"

TABLE 4-10 IMA ERRORS LIST-VERSION 5 (BFL)

Error Code	Error Message
"NCI 999	<ERRORMESSAGE>"
"NCI 999	Error Reading NCI data"
"NOT 999	Error retrieving notice"
"NOTHTMLIND 003	invalid HTMLIND"
"NOTLSRID 001	LSRID required"
"NOTNOTICETY001	NOTICETYPE required"
"NOTNOTICETY003	invalid NOTICETYPE"
"NP 001	NP form required"
"NP 001	NP form required"
"NP BA 003	BA must be A, D or Z"
"NP BA 900	BA must be A when ACT is V or Z"
"NP BLOCK 003	A blocking value has been selected that must be used in combination with other blocking values"
"NP BLOCK 003	A combination of blocking values has been selected that cannot be used together"
"NP BLOCK 003	BLOCK must be A, B, C, D, E, F, G, H, K, M, N, or Q"
"NP BLOCK 900	BLOCK required when BA is A or D"
"NP CFTN 002	CFTN invalid format"
"NP CFTN 900	CFTN required when NPT is B"
"NP FPI 003	FPI must be A or S"
"NP LNA 900	LNA must be C or D when ACT is C"
"NP LNA 900	LNA must be D or V"
"NP LNA 900	LNA must be V or D when ACT is V or Z"
"NP LNA 900	LNA required for INP when ACT is V, Z or C"
"NP LNA 900	LNA required for LNP when ACT is V or Z"
"NP LNUM 003	LNUM must be numeric"
"NP LNUM 003	LNUM must start at 0001"
"NP LNUM 003	LNUM not in sequence"
"NP LNUM 900	LNUM required when ACT is V or Z"
"NP LNUM 900	LNUM required when ACT is V, Z or C"
"NP LPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"NP NPQTY 900	NPQTY must be greater than 0 when ACT is V or Z"
"NP NPQTY 900	NPQTY must be greater than 0 when ACT is V, Z or C"
"NP NPT <C>	NPT must be A, B, or C"
"NP NPT <C>	NPT must be blank when LNA is D"
"NP NPT <C>	NPT required when LNA is V and ACT is V, Z or C"
"NP NPT 003	NPT must be A, B, C or D"
"NP NPT 900	NPT must be blank when LNA is D"
"NP NPT 900	NPT must be D when LNA is V"
"NP NPTG 900	NPTG required when NPT is A or C"

TABLE 4: 40 JMA ERRORS LIST-VERSION 5 (BPL)

Error Code	Error Message
"NP PORTEDNB<C>	PORTEDNBR range of telephone numbers must be in ascending order"
"NP PORTEDNB002	PORTEDNBR invalid format"
"NP PORTEDNB003	PORTEDNBR <P->PORTEDNBR> contains a duplicate of an existing TN or range"
"NP PORTEDNB003	PORTEDNBR <P->PORTEDNBR> is a duplicate of an existing TN or range"
"NP PORTEDNB900	PORTEDNBR required when ACT is V or Z"
"NP PORTEDNB900	PORTEDNBR required when ACT is V, Z or C"
"NP RTI 900	RTI required when NPT is A or C"
"NP TCID 003	TCID must be numeric"
"NP TCID 900	TCID required when ACT is V or Z and TCOPT is S or T"
"NP TCID 900	TCID required when ACT is V, Z or C and TCOPT is S or T"
"NP TCID 999	TCID not allowed for ported number ranges"
"NP TCNAME 900	TCNAME required when ACT is V or Z and TCOPT is S or T"
"NP TCNAME 900	TCNAME required when ACT is V, Z or C and TCOPT is S or T"
"NP TCNAME 999	TCNAME not allowed for ported number ranges"
"NP TCOPT 003	TCOPT must be N, S or T"
"NP TCOPT 900	TCOPT must be N when LNA is D"
"NP TCOPT 900	TCOPT required when ACT is V or Z and LNA is D"
"NP TCOPT 900	TCOPT required when ACT is V, Z or C and LNA is D"
"NP TCPER 002	TCPER invalid format"
"NP TCPER 900	TCPER required when ACT is V or Z and TCOPT is S or T"
"NP TCPER 900	TCPER required when ACT is V, Z or C and TCOPT is S or T"
"NP TCTOPRI 002	TCTOPRI invalid format"
"NP TCTOPRI 900	TCTOPRI required when ACT is V or Z and TCOPT is S or T"
"NP TCTOPRI 900	TCTOPRI required when ACT is V, Z or C and TCOPT is S or T"
"NP TCTOPRI 999	TCTOPRI not allowed for ported number ranges"
"NP TDT 900	TDT must be Y when NPT is D"
"NP TNP 003	TNP must be between 001 and 999"
"NP TNP 003	TNP must be numeric"
"NP TNP 900	TNP required when ACT is V or Z and NPT is B"
"NPC 999	<ERRNPANXX>"
"NPC 999	<ERRORMESSAGE>"
"NPC 999	<ERRORMESSAGE>"
"PEN 001	BTN required"
"PEN 001	BTN required"

TABLE 4-23 IMA ERRORS LIST-VERSION 3 (BFL)		
Error Code		Error Message
"PEN	001	BTN required"
"PEN	001	ECCKT required"
"PEN	001	LSRID required"
"PEN	999	dsoiPendOrder failed (<ERRORMESSAGE>)"
"PEN	999	isysPendOrder failed (<ERRORMESSAGE>)"
"PEN	999	sosePendOrder failed (<ERRORMESSAGE>)"
"PRE	999	Error closing file:<ERRNO>"
"PRE	999	Error creating temporary file"
"PRE	999	Invalid permissions on tmp directory"
"PS	900	PS form prohibited when ACT is M or T"
"PS	900	PS form required when ACT is D and EU.TCOPT is T"
"PS	900	PS form required when ACT is N, V, Z or C"
"PS	900	PS form required when ACT is N, V, Z or C"
"PS	999	PS form is required when ACT is N, C, V or Z"
"PS	999	PS form is required when ACT is N, C, V or Z"
"PS BA	003	BA must be A, D, Z or N"
"PS BA	900	BA required when ACT is N, V, Z or C and BLOCK is populated"
"PS BLOCK	003	A blocking value has been selected that must be used in combination with other blocking values"
"PS BLOCK	003	A combination of blocking values has been selected that cannot be used together"
"PS BLOCK	003	BLOCK must be A, B, C, D, E, F, G, H, K, M, N, or Q"
"PS BLOCK	900	Blocking USOC <P->FEATURE[I].FEATURE> found: must use BLOCK field when requesting blocking options"
"PS CFA	003	Invalid CFA Format"
"PS CFA	900	CFA required when LSR.LST is populated and ACT is N, V, Z or C"
"PS FA	003	FA must be one of N, C, D, V, or T"
"PS FA	900	FA must be empty for products ALSP/DLSP when ACT is N/D/V/Z/C and LNA is X/W/P/Y/L."
"PS FA	900	FA must be N for products ALSP or DLSP when ACT is N, D, V, Z, or C and LNA is D and TCOPT on PS form is S or T"
"PS FA	900	FA must be N for products ALSP/DLSP when ACT is D and EU.TCOPT is S/T."
"PS FA	900	FA must be N, C, D or T for products ALSP/DLSP when ACT is N/D/V/Z/C and LNA is C."
"PS FA	900	FA must be N, C, V, T or D for products ALSP/DLSP when ACT is N/D/V/Z/C and LNA is V."

TABLE 4: SD ML ERRORS LIST-VERSION 5(DPL)

Error Code	Error Message
"PS FA 900	FA required and must have a value of N for products ALSP/DLSP when ACT is D and EU.TCOPT is S or T."
"PS FA 900	FA required for products ALSP/DLSP when ACT is N/D/V/Z/C and LNA is C/D/V."
"PS FEATURE 900	FEATURE required when FA is populated"
"PS FQTY 900	Feature Detail Section required when ACT is V or Z and LNA is V"
"PS LNA 900	LNA must be D when ACT is D and transfer of calls requires a USOC (TCOPT is S or T on EU)"
"PS LNA 900	LNA must be N when ACT is N"
"PS LNA 900	LNA must be N, C, D, X or P when ACT is C"
"PS LNA 900	LNA must be one of X, C, N, D, V or P"
"PS LNA 900	LNA must be V, N or D when ACT is V or Z"
"PS LNA 900	LNA required when ACT is N, V, Z or C"
"PS LNUM 003	LNUM cannot be 0000"
"PS LNUM 003	LNUM must be numeric"
"PS LNUM 003	LNUM not in sequence"
"PS LNUM 900	LNUM required when ACT is D and transfer of calls requires a USOC (TCOPT=S on EU)"
"PS LNUM 900	LNUM required when ACT is N, D, V, Z or C"
"PS LNUM 900	LNUM required when ACT is N, V, Z or C"
"PS LOCNUM 003	LOCNUM must equal 1"
"PS LOCNUM 900	LOCNUM required when ACT is N, D, V, Z or C"
"PS LPIC 003	LPIC required when ACT is C and LNA is not C or P"
"PS LPIC 003	LPIC required when ACT is N, V, or Z"
"PS LPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"PS LSCP 003	LSCP must be A or B"
"PS LSCP 900	LSCP is not allowed when ACT is <CTX->ACT>"
"PS OTN 002	OTN invalid format"
"PS OTN 900	OTN required when ACT is V, Z or C and LNA is X"
"PS PIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"PS PIC 900	PIC and/or LPIC required when ACT is C"

TABLE 4-20 LNA ERRORS LIST-VERSION 5 (BFL)

Error Code	Error Message
"PS PIC 900	and LNA is P"
"PS PIC 900	PIC required when ACT is C and LNA is N or V"
"PS PQT 003	PIC required when ACT is N, V or Z"
"PS PQT 003	PQT must equal the numbers of LNUMS"
"PS PQT 900	PQT must match the quantity of LNUMS"
"PS PQT 900	Service Details Section required when ACT is D and transfer of calls requires a USOC (TCOPT=S on EU)"
"PS PQT 900	Service Details Section required when ACT is N, D, V, Z or C"
"PS PQT 900	Service Details Section required when ACT is N, V, Z or C"
"PS PULSE 003	PULSE must be DP or DTMF"
"PS SAN 900	SAN required when ACT is N, D, V, Z or C and first char of TOS is 3"
"PS SGNL 900	SGNL required when ACT is N, V or Z"
"PS SSIG 003	SSIG must be DD, IM or WS"
"PS SSIG 003	SSIG must be LS or GS"
"PS SSIG 900	SSIG required when ACT is N, V or Z"
"PS TCID 003	TCID must be numeric"
"PS TCID 900	TCID required when ACT is V, Z or C and TCOPT is S or T"
"PS TCNAME 900	TCNAME required when ACT is V, Z or C and TCOPT is S or T"
"PS TCOPT 003	TCOPT must be N, S or T"
"PS TCPER 002	TCPER invalid format"
"PS TCPER 900	TCPER required when ACT is V, Z or C and TCOPT is S or T"
"PS TCTOPRI 002	TCTOPRI invalid format"
"PS TCTOPRI 900	TCTOPRI required when ACT is V, Z or C and TCOPT is S or T"
"PS TERS 900	TERS required when TLI is populated"
"PS TLI 900	TLI must match a TLI on the LSR"
"PS TLI 900	TLI required when TERS is populated"
"PS TNS 002	TNS invalid format"
"PS TNS 900	TNS cannot be a placeholder when LNA is not N or X"
"PS TNS 900	TNS required when ACT is D and transfer of calls requires a USOC (TCOPT=S on EU)"
"PS TNS 900	TNS required when ACT is N, V, Z or C"
"RCP 999	CSR too large for automatic recap processing - CSR may be retrieved in Pre-Order to facilitate manual recap"
"RCPACT 001	ACT required"
"RCPACT 003	The activity requested is not valid, the CSR indicates you already own this account"
"RCPAN 001	AN required"
"RCPAN 003	An exact match CSR was not found for this AN/Custcode, return to Pre-Order

TABLE 4-30 INM ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
	and select a CSR"
"RCPAN 003	AN invalid format"
"RCPCCNA 001	CCNA required"
"RCPREQTYP 001	REQTYP required"
"RCPSAST 001	SAST required"
"RCPTOS 001	TOS required"
"RES 001	RESALE form required"
"RES 001	RESALE form required"
"RES 001	RESALE form required"
"RES 900	RESALE form prohibited when ACT is W or Y"
"RES 900	RESALE form prohibited when ACT is W"
"RES 900	RESALE form prohibited when ACT is W"
"RES 900	RESALE form prohibited when ACT is W"
"RES 900	RESALE form prohibited when ACT is W, Y or B"
"RES 900	RESALE form required when ACT is D and EU.TCOPT is T"
"RES 900	RESALE form required when ACT is D and EU.TCOPT is T"
"RES 900	RESALE form required when ACT is D and EU.TCOPT is T"
"RES 900	RESALE form required when ACT is D and EU.TCOPT is T"
"RES 900	RESALE form required when ACT is D and EU.TCOPT is T"
"RES 900	RESALE form required when ACT is N, C or T"
"RES 900	RESALE form required when ACT is N, C, M, T, V, L, B or Z"
"RES 900	RESALE form required when ACT is N, C, M, T, V, Z, or L"
"RES 900	RESALE form required when ACT is N, C, T, V or Z"
"RES 900	RESALE form required when ACT is N, C, T, V, L or Z"
"RES 900	RESALE form required when ACT is N, C, T, V, L, or Z"
"RES 900	RESALE form required when ACT is N, V, Z, C, T, L, or M"
"RES 900	RESALE form required when ACT is V, Z, or C"
"RES 999	RESALE form is required when ACT is N, C, M, T, V, L or Z"
"RFR 001	RFR form required"
"RFRBe 002	The last character of Be must be K or M"
"RFR CIR 002	The last character of CIR must be K or M"
"RFRDLCI 900	DLCI is required when VCACT is C or D"
"RFRECKKT 001	ECCKT must be populated ACT is W, V, C or T"

TABLE 4: EDIMA ERRORS LIST-VERSION 3 (DPL)

Error Code	Error Message
"RFRRECCKT 002	ECCKT must be between 15 and 20 characters long"
"RFRIWJQ 003	IWJQ must be between 1 and 99"
"RFRIWJQ 003	IWJQ must be numeric"
"RFRMLMP 003	LMP must be 1,3,4,5 or 6"
"RFRNLNEX 001	LNEX required"
"RFRNLNEX 900	LNEX required when NVC is populated"
"RFRNVC 001	NVC must be populated when ACT is N"
"RFRNVC 003	NVC must be equal to nvcQty when populated"
"RFRNVC 003	NVC must be populated when nvcQty is great than 0"
"RFRNVC 999	NVC isn't allowed for ACT is <CTX->ACT>"
"RFRPSPEED 001	PSPEED must be populated when ACT is N"
"RFRDLICI 003	RDLICI must be the same as DLICI"
"RFRRECCKT 002	RECCKT must be between 15 and 20 characters long"
"RFRRECCKT 900	RECCKT required when ACT is C"
"RFRRECCKT 900	RECCKT required when RPON is not populated for ACT is <CTX->ACT>"
"RFRREMARKS 900	REMARKS is required when VCACT is C"
"RFRRORD 900	RORD required when RPON is not populated for ACT is <CTX->ACT>"
"RFRRPON 900	RPON required when RECCKT and RORD fields are not populated for ACT is <CTX->ACT>"
"RFRVCACT 001	VCACT must be populated when ACT is N"
"RFRVCACT 001	VCACT must be populated when NVC is populated"
"RFRVCACT 003	VCACT must be N when ACT is N"
"RFRVCACT 003	VCACT must be N,C,D or R"
"RLD 999	<TMPERRMSG>"
"RLD 999	Address not an exact match"
"RLD 999	Address not an exact match"
"RLD 999	dbFetchSpareLoop unable to complete transaction. Please try later."
"RLD 999	No Spare loops were found at address."
"RLD 999	No working TNs found at address"
"RLD 999	No working TNs found at address"
"RLD 999	Query failed. Unable to complete transaction. Please try later. (FA)"
"RLD 999	Query failed. Unable to complete transaction. Please try later. (FA)"
"RLDAFT 001	Invalid Value for AFT"
"RLDAH 900	AH can only be populated if SASN begins with '@"
"RLDAH 900	AH cannot be populated if SANO populetd"
"RLDANH 900	AH required when TNADDRCKTIND is A and SANO is blank"

TABLE 4-5.0 BMA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"RLDASGNIND 003	ASGNIND must be A or U"
"RLDASGNIND 900	ASGNIND required when TNADDRCKTIND is A"
"RLDCALA 003	Invalid entry in CALA"
"RLDCCNA 001	CCNA required"
"RLDCITY 900	CITY required when TNADDRCKTIND is A"
"RLDD/TSENT 001	D/TSENT invalid format"
"RLDD/TSENT 001	D/TSENT invalid format"
"RLDD/TSENT 001	D/TSENT invalid format"
"RLDD/TSENT 001	D/TSENT required"
"RLDL1 003	Invalid Value for LD1"
"RLDL2 003	Invalid Value for LD2"
"RLDL3 003	Invalid Value for LD3"
"RLDSANO 900	SANO is required when SAPR or SASF is populated"
"RLDSANO 900	SANO required when TNADDRCKTIND is A and AHN is blank"
"RLDSASD 003	Invalid Value for SASD"
"RLDSASN 900	SASN is required when SASD, SATH, or SASS is populated"
"RLDSASN 900	SASN required when TNADDRCKTIND is A"
"RLDSASS 003	Invalid Value for SASS"
"RLDSTATE 900	STATE required when TNADDRCKTIND is A"
"RLDTNADDRCK001	TNADDRCKTIND required"
"RLDTNADDRCK003	TNADDRCKTIND must be A or T"
"RLDTXACT 003	TXACT must be A"
"RLDTXNUM 001	TXNUM required"
"RLDTXTYP 003	TXTYP must be R"
"RLDWTN 002	WTN[<I>] invalid format"
"RLDWTNNUM 003	WTNNUM must be less than or equal to WTNQ"
"RLDWTNQ 003	WTNQ must be between 1 and 24"
"RLDWTNQ 900	WTNQ required when TNADDRCKTIND is T"
"RLDZIP 001	CALA or ZIP required"
"RPL 001	RPL form required"
"RPL 001	RPL form required"
"RPL 001	RPL form required"
"RPL 001	RPL form required"
"RPL 900	RPL form required when ACT is N, D, W, V, C, T or M"
"RPLAACTEL 002	AACTEL invalid format"
"RPLAACTEL 002	AACTEL invalid format"
"RPLAACTEL 900	AACTEL required when ALCON is populated and ACT is N, V, C, T or M"
"RPLAACTEL 900	AACTEL required when ALCON is populated and ACT is N, V, C, T or M"
"RPLACTELNO 002	ACTELNO invalid format"
"RPLACTELNO 002	ACTELNO invalid format"
"RPLACTELNO 900	ACTELNO required when LCON is populated and ACT is N, V, C, T or M"
"RPLACTELNO 900	ACTELNO required when LCON is populated and ACT is N, V, C, T or M"

TABLE 4- SAHMA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"RPLAFT 900	Invalid Value for AFT"
"RPLAFT 900	Invalid Value for AFT"
"RPLAFT 900	Invalid Value for AFT"
"RPLAHN 900	AHN is required for unnumbered address when ACT is N, W or V and ANV is not Y and LIT is E"
"RPLAHN 900	AHN is required for unnumbered addresses when ACT is N, W or V and ANV is not Y and LIT is E"
"RPLANV 003	ANV must be Y, N or blank"
"RPLANV 003	ANV must be Y, N or blank"
"RPLANV 900	ANV not allowed for this product and activity combination"
"RPLANV 900	ANV not allowed for this product and activity combination"
"RPLANV 900	ANV not allowed for this product and activity combination"
"RPLBILLNM 900	BILLNM required when FBI is D and ACT is D, W or V"
"RPLCALA 003	Invalid entry in CALA"
"RPLCALA 003	Invalid entry in CALA"
"RPLCALA 900	CALA required when ZIP not provided and ACT is N, W, V, or T and LIT is E"
"RPLCALA 900	CALA required when ZIP not provided and RSQTY is 2 and LIT is E"
"RPLCALA 900	CALA required when ZIP not provided and SASN is provided and ACT is C or M and LIT is E"
"RPLCITY 900	CITY required when ACT is N, D, W, V or T and LIT is E"
"RPLCITY 900	CITY required when ACT is N, W, V or T and LIT is E"
"RPLCITY 900	CITY required when BILLNM is populated and ACT is D, W or V"
"RPLCITY 900	CITY required when SASN is populated and ACT is C or M and LIT is E"
"RPLCITY 900	CITY required when SASN is populated and ACT is C or M and LIT is E"
"RPLDISCECK900	DISCECKT required when ACT is D"
"RPLDQTY 900	DQTY must be greater than or equal to 2 when ACT is D"
"RPLECCKT 900	ECCKT required when ACT is D and AN not populated"
"RPLECCKT 900	ECCKT required when ACT is W, V, C, T or M"
"RPLFBI 003	FBI must be E or D"
"RPLIWJK 900	IWJK required when IWJQ is populated"
"RPLIWJK 900	IWJK required when IWJQ is populated"
"RPLIWJQ 003	IWJQ must be between 01 and 99"
"RPLIWJQ 003	IWJQ must be between 01 and 99"
"RPLIWO 003	IWO must be S, U or W"
"RPLIWO 003	IWO must be S, U or W"

TABLE 4: 9.0 IMA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"RPLLCN 003	Invalid characters entered: Valid are [letters, space, apostrophe, hyphen]"
"RPLLCN 003	Invalid characters entered: Valid are [letters, space, apostrophe, hyphen]"
"RPLLCN 900	LCON required when ACT is N, V, T or M"
"RPLLCN 900	LCON required when ACT is N, V, T or M"
"RPLLD1 001	Invalid Value for LD1"
"RPLLD1 001	Invalid Value for LD1"
"RPLLD2 001	Invalid Value for LD2"
"RPLLD2 001	Invalid Value for LD2"
"RPLLD3 001	Invalid Value for LD3"
"RPLLD3 001	Invalid Value for LD3"
"RPLLIT 900	LIT must be C or E"
"RPLLIT 900	LIT must be C or E"
"RPLLIT 900	LIT must be C"
"RPLLIT 900	LIT must be E"
"RPLLIT 900	LIT required when ACT is N or V"
"RPLLIT 900	LIT required when ACT is N, D or V"
"RPLLNA 900	ACT of <CTX->ACT> not allowed for this product - no further validations performed."
"RPLLNA 900	LNA must be C when ACT is C and primary location is impacted"
"RPLLNA 900	LNA must be C when ACT is C and secondary location is impacted"
"RPLLNA 900	LNA must be C when ACT is M and primary location is impacted"
"RPLLNA 900	LNA must be C when ACT is M and secondary location is impacted"
"RPLLNA 900	LNA must be N when ACT is N"
"RPLLNA 900	LNA must be N when ACT is N"
"RPLLNA 900	LNA must be N when ACT is T and primary location is part of outside move"
"RPLLNA 900	LNA must be N when ACT is T and secondary location is part of outside move"
"RPLLNA 900	LNA must be N, C or D when product is PL and ACT is C and secondary location is impacted"
"RPLLNA 900	LNA must be V when ACT is V"
"RPLLNA 900	LNA must be V when ACT is V"
"RPLLNA 900	LNA required when ACT is N or V"
"RPLLNA 900	LNA required when ACT is N or V"
"RPLLOC 900	LOCNUM must be 2"
"RPLLOC 900	LOCNUM required when ACT is N or V"
"RPLLocation900	Number of Secondary Location Service Details must equal the number of Secondary Location Sections"
"RPLLOCNUM 900	LOCNUM in Secondary Location Section

TABLE 4-98 IMAT ERRORS LIST-VERSION 5 (RPL)

Error Code	Error Message
	must have a matching LOCNUM in Secondary Location Service Details"
"RPLLOCNUM 900	LOCNUM in Secondary Location Service Details must have a matching LOCNUM in Secondary Location Section"
"RPLLOCNUM 900	LOCNUM must be 1"
"RPLLOCNUM 900	LOCNUM must be between 2 to 10"
"RPLLOCNUM 900	LOCNUM must be between 2 to 10"
"RPLLOCNUM 900	LOCNUM must be unique across each address location section"
"RPLLOCNUM 900	LOCNUM required when ACT is N, W or V"
"RPLLOCNUM 900	LOCNUM required when ACT is N, W or V"
"RPLLOCNUM 900	LOCNUM required when ACT is N, W, V, C, T or M"
"RPLNAME 900	NAME required when ACT is N, D, W, V or C"
"RPLNAME 900	NAME required when ACT is N, W or V"
"RPLPRILOC 900	PRILOC required when ACT is N, W, V or D"
"RPLRLSO 900	RLSO must contain 6 numbers"
"RPLRLSO 900	RLSO must contain 6 numbers"
"RPLRLSO 900	RLSO required when ACT is N, W or V"
"RPLRLSO 900	RLSO required when ACT is N, W or V"
"RPLRSQTY 900	Number of address location sections must equal the number entered in RSQTY"
"RPLRSQTY 900	RSQTY must be 2 when ACT is N, W or V"
"RPLRSQTY 900	RSQTY must be between 1 and 10 when ACT is C, T, or M"
"RPLRSQTY 900	RSQTY must be between 1 or 2 when ACT is C, T, or M"
"RPLRSQTY 900	RSQTY must be between 2 and 10 when ACT is N, W or V"
"RPLSAN 900	SAN required for government requests for ACT of <CTX->ACT>"
"RPLSANO 900	SANO is required when SAPR or SASF is populated and LIT is E"
"RPLSANO 900	SANO is required when SAPR or SASF is populated and LIT is E"
"RPLSANO 900	SANO is required when SAPR or SASF is required"
"RPLSANO 900	SANO required when AHN is not populated and ACT is N, W or V and LIT is E"
"RPLSANO 900	SANO required when AHN is not populated and ACT is N, W or V and LIT is E"
"RPLSASD 001	Invalid Value for SASD"
"RPLSASD 001	Invalid Value for SASD"
"RPLSASD 001	Invalid Value for SASD"
"RPLSASN 900	SASN is required when SASD, SATH, or SASS is populated and LIT is E"

TABLE 4: 90 DMA ERRORS LIST-VERSION 5 (DPL)

Error Code	Error Message
"RPLSASN 900	SASN is required when SASD, SATH, or SASS is populated and LIT is E"
"RPLSASN 900	SASN is required when SASD, SATH, or SASS is populated"
"RPLSASN 900	SASN required when ACT is N, D, W, V, C or T and LIT is E"
"RPLSASN 900	SASN required when ACT is N, W, V or T and LIT is E"
"RPLSASN 900	SASN required when BILLNM is populated and ACT is D, W or V"
"RPLSASS 001	Invalid Value for SASS"
"RPLSASS 001	Invalid Value for SASS"
"RPLSASS 001	Invalid Value for SASS"
"RPLSECLOC 900	SECLOC required when ACT is N, W or V"
"RPLSECLOCQT900	SECLOCQTY - Number of Secondary Location Sections can not be 0 when when ACT is N, V, or W"
"RPLSECLOCSE900	SECLOCSEVDETQTY - Number of Secondary Location Service Details Sections can not be 0 when ACT is N, V, or W"
"RPLSTATE 900	STATE required when ACT is N, D, W, V or T and LIT is E"
"RPLSTATE 900	STATE required when ACT is N, W, V or T and LIT is E"
"RPLSTATE 900	STATE required when ACT is N, W, V or T and LIT is E"
"RPLSTATE 900	STATE required when BILLNM is populated and ACT is D, W or V"
"RPLSTATE 900	STATE required when SASN is populated and ACT is C or M and LIT is E"
"RPLSTATE 900	STATE required when SASN is populated and ACT is C or M and LIT is E"
"RPLTELNO 002	TELNO invalid format"
"RPLTELNO 900	TELNO required when BILLCON is populated and ACT is D, W or V"
"RPLZIP 900	ZIP required when ACT is N, W, V or T and LIT is E"
"RPLZIP 900	ZIP required when BILLNM is populated and ACT is D, W or V"
"RPLZIP 900	ZIP required when CALA not provided and ACT is N, W, V, D or T and LIT is E"
"RPLZIP 900	ZIP required when CALA not provided and SASN is populated and ACT is C or M and LIT is E"
"RPLZIP 900	ZIP required when SASN is populated and ACT is C or M and LIT is E"
"RS 999	Can not have <FEATURE[CONFLICTINDEX].FEATURE> with one of the following: <ERRORMSG>"
"RS 999	Can not have <FEATURE[CONFLICTINDEX].FEATURE> with

TABLE 4: RS LNA ERRORS LIST-VERSION 3 (BPL)

Error Code	Error Message
"RS 999	one of the following: " Feature <FEATURE[FEATUREINDEX].FEATURE> requires one of the following USOCs: <ERRORMSG1> and requires one of the following USOCs: <ERRORMSG2>"
"RS 999" - "System Error"	
"RS BA 900	BA required when BLOCK is populated"
"RS BLOCK 003	A blocking value has been selected that must be used in combination with other blocking values"
"RS BLOCK 003	A combination of blocking values has been selected that cannot be used together"
"RS BLOCK 003	BLOCK must be one of A, B, C, D, E, F, G, H, K, M, N, or Q"
"RS BLOCK 900	BLOCK required when BA is populated"
"RS BLOCK 900	BLOCK required when BA is populated"
"RS BLOCK 900	Blocking USOC <P->FEATURE[I].FEATURE> found: must use BLOCK field when requesting blocking options"
"RS ECCKT 900	ECCKT required when ACT is T and LNA is D"
"RS ECCKT 900	ECCKT required when ACT is V, Z or C"
"RS ECCKT 900	ECCKT required when ACT is V, Z, C, L or B"
"RS ECCKT 900	ECCKT required when ACT is V, Z, C, T or M"
"RS ECCKT 900" - "ECCKT required when ACT is D and TCOPT on EU is S or T"	
"RS ECCKT 999" - "ECCKT of (<P- >ECCKT>) is not supported"	
"RS FA 001	FA required when ACT is N, C or T"
"RS FA 001	FA required when ACT is N, V, Z, C or T"
"RS FA 001	FA required"
"RS FA 003	<RET = ELIST.ERROR(ERRTYPE>"
"RS FA 900	<ERRORMESSAGE>"
"RS FA 900	Can not request multiple actions for the same USOC & FID combination unless the actions (FA) are the same: <FEATURE[FEATURE1].FEATURE> & <FEATURE[FEATURE2].FEATURE> appear more than once"
"RS FA 900	Can not request multiple actions for the same USOC & FID combination unless the actions (FA) are the same: <FEATURE[FEATURE1].FEATURE> & <FEATURE[FEATURE1].FEATUREDETAIL> appear more than once"
"RS FA 900	FA must be N or D when LNA is D"
"RS FA 900	FA must be N when ACT is D and any

TABLE 4-9.0 LNA ERRORS LIST-VERSION 5 (BPL)

Error Code	Error Message
	TCOPT on EU is S or T"
"RS FA 900	FA must be N when LNA is D and EU.TCOPT is S or T"
"RS FA 900	FA must be N when LNA is N"
"RS FA 900	FA must be N, C, D or T when LNA is C"
"RS FA 900	FA must be N, C, D, V or T when LNA is V"
"RS FA 900	FA of "C" ('Change From') must be used in conjunction with FA of "T" ('Change To')
"RS FA 900	FA required when ACT is C or T"
"RS FA 900	FA required when ACT is N, C or T"
"RS FA 900	FA required when ACT is N, C or T"
"RS FA 900	FA required when ACT is N, V, Z, C or T"
"RS FA 900	FA required when ACT is V or Z and LNA is V, N or D"
"RS FA 900	FA required when ACT is V or Z and LNA is V, N or D"
"RS FA 900	FA required when ACT is V or Z and LNA is V, N or D"
"RS FA 900	FA required when LNA is V"
"RS FEATURE 900	FEATURE required when FA is populated"
"RS FQTY 900	Feature Details Section required when ACT is C"
"RS FQTY 900	Feature Details Section required when ACT is N or T"
"RS FQTY 900	Feature Details Section required when ACT is N, C or T"
"RS FQTY 900	Feature Details Section required when ACT is R"
"RS FQTY 900	Feature Details Section required when ACT is V or Z and LNA is V, N or D"
"RS FQTY 900	Feature Details Section required when LNA is V"
"RS ISPID 002	ISPID 13th character must be a dash"
"RS ISPID 900	ISPID required when ACT is M"
"RS ISPID 900	ISPID required when ACT is V, Z, C, T or M"
"RS IWJQ 900	IWJQ required when IWJK is populated"
"RS LNA 900	LNA must be C when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be C when ACT is M"
"RS LNA 900	LNA must be D or blank when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be D when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be D when ACT is D and TCOPT(EU) is S or T"
"RS LNA 900	LNA must be L or blank when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be L or Y when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be L when ACT is <CTX->ACT>"

TABLE 4: 90 LNA ERRORS LIST-VERSION 3 (BFL)

Error Code	Error Message
"RS LNA 900	LNA must be L when ACT is L"
"RS LNA 900	LNA must be L(seasonal) or N/A(deny) when ACT is B"
"RS LNA 900	LNA must be N or D when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N or D when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N or D when ACT is T"
"RS LNA 900	LNA must be N when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N when ACT is N"
"RS LNA 900	LNA must be N when TCOPT on RESALE form isn't S or T"
"RS LNA 900	LNA must be N, C, D, X or P when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N, C, D, X or P when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be N, C, D, X, P when ACT is C"
"RS LNA 900	LNA must be R when ACT is R for LISTINGS"
"RS LNA 900	LNA must be W, V, N or D when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be W, V, N or D when ACT is V"
"RS LNA 900	LNA must be W, V, N or D when ACT is Z"
"RS LNA 900	LNA must be W, V, N, D, or X when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be X, W, V, N or D when ACT is V"
"RS LNA 900	LNA must be X, W, V, N or D when ACT is Z"
"RS LNA 900	LNA must be Y when ACT is <CTX->ACT>"
"RS LNA 900	LNA must be Y when ACT is <CTX->ACT>"
"RS LNA 900	LNA of <CTX->ACT> not allowed for this product - no further validations performed."
"RS LNA 900	LNA of <CTX->ACT> not allowed for this product - no further validations performed."
"RS LNA 900	LNA required when ACT is N, C, T, L or B"
"RS LNA 900	LNA required when ACT is N, V, Z, C, or T"
"RS LNA 900	LNA required when ACT is N, V, Z, C, T or M"
"RS LNA 900	LNA required when ACT is N, V, Z, C, T, L or B"
"RS LNA 900	LNA required when ACT is N, V, Z, C, T, or L"
"RS LNA 900	LNA required when ACT is R"

TABLE 4-10 IMA ERRORS LIST-VERSION 5 (BFL)

Error Code	Error Message
"RS LNA 900	LNA required when ACT is V, Z, C, T, L, B or M"
"RS LNA 900	TNS cannot be BTN when LNA is N or D if ACT is Z"
"RS LNA 900	TNS cannot be BTN when LNA is N or D if ACT is Z"
"RS LNUM 001	LNUM required when ACT is R"
"RS LNUM 003	LNUM must be numeric"
"RS LNUM 003	LNUM not in sequence"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LNUM 900	LNUM required when ACT is <CTX->ACT> and LNA is populated"
"RS LPIC 003	"The PIC/LPIC fields MUST contain either a four digit numericcode (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT"
"RS LPIC 900	"LPIC required when ACT is C and LNA is not C nor P"
"RS LPIC 900	"LPIC required when ACT is N"
"RS LPIC 900	"LPIC required when ACT is N"
"RS LPIC 900	"LPIC required when ACT is V or Z"
"RS LSCP 003	LSCP must be A or B"
"RS LSCP 900	LSCP is not allowed when ACT is <CTX->ACT>"
"RS MANUALIN900	MANUANIND must be Y when NPI is populate"
"RS NIDR 003	NIDR must be Y or N"
"RS NPI 003	NPI must be A, B, C, D, or Z"
"RS OTN 002	OTN invalid format"
"RS OTN 900	OTN required when LNA is X"